


RADIO DATA

GND	121.800
	118.125
TWR	118.600
	118.850
APP	119.700
	119.100
	129.850
	119.700
ATIS DEP (VOR) (EN)	114.200
EMERG	121.500



CHG: D areas, R areas.

RNAV SID RWY 33

ADIVO 3P ARVEP 3P IDEPI 3P KUIVU 3P KUVEM 3P NEPEK 3P NUNTO 3P RENKU 3P TEVRU 3P VALOX 3P

DME/DME OPS:	NOT SUPPORTED	CLIMB ALTITUDE:	CLIMB TO 4000 FT OR ASSIGNED ALTITUDE IF LOWER. CLIMB TO A HIGHER LEVEL ONLY WHEN CLEARED BY ATC.
ROUTES:	RNAV PROC CODING ON THE VERSO OF THE CHART	RADIO CONTACT:	MAINTAIN TWR FREQ UNTIL 1500 FT, THEN CONTACT HELSINKI RADAR FREQ ACCORDING TO RTE.
SQUAWK:	WHEN LINING UP SQUAWK THE ASSIGNED CODE	RNAV RTE:	HELSINKI RADAR ARVEP 3P, IDEPI 3P, NEPEK 3P, TEVRU 3P
ADDITIONS TO SID:	INSTRUCTIONS CONTAINING DEVIATIONS FROM THE SID (TEMPORARY ALTITUDE RESTRICTIONS ETC) MAY BE INCLUDED IN THE ATC CLEARANCE PRIOR TO TAKE-OFF.	ADIVO 3P, KUIVU 3P, KUVEM 3P, NUNTO 3P, RENKU 3P, VALOX 3P	129.850
INITIAL CLIMB:	MNM TURNING ALTITUDE ACCORDING TO RTE CODING. PDG 5.0 % (304 FT/NM) UNTIL 4000 FT BASED ON AIRSPACE RESTRICTIONS.	NOISE ABATEMENT:	AFTER TAKE-OFF CLIMB AS RAPIDLY AS PRACTICABLE TO AT LEAST 2000 FT ABOVE AD ELEV.
		AREA MNM ALT:	SEE AMA INDEX, AIP ENR 6.1 - 3

EFHK RNAV SID RWY 33										
RTE NAV SPEC	SEQ NR	P/T	WPT		MAG	GEO TR	DIST NM	Turn Direction	Constraints	
			ID	Flyover					LVL	Speed
ADIVO 3P RNAV 1	010	CA	-	-	324°	333.3°T	-	L	A680+	
	020	CF	HK928	-	232°	241.3°T	-			K250-
	030	TF	ADIVO	-	261°	270.3°T	20.3			
ARVEP 3P RNAV 1	010	CA	-	-	324°	333.3°T	-	R	A680+	
	020	DF	IDMOP	-	-	-	-			K230-
	030	TF	ARVEP	-	093°	102.2°T	41.2			
IDEPI 3P RNAV 1	010	CA	-	-	324°	333.3°T	-	R	A680+	
	020	DF	IDMOP	-	-	-	-			K230-
	030	TF	IDEPI	-	040°	049.3°T	28.8			
KOIVU 3P RNAV 1	010	CA	-	-	324°	333.3°T	-	L	A680+	
	020	CF	HK928	-	232°	241.3°T	-			K250-
	030	TF	HK929	-	182°	190.9°T	13.9			
	040	TF	KOIVU	-	159°	168.6°T	13.8			
KUVEM 3P RNAV 1	010	CA	-	-	324°	333.3°T	-	L	A680+	
	020	CF	HK928	-	232°	241.3°T	-			K250-
	030	TF	KUVEM	-	245°	253.8°T	22.6			
NEPEK 3P RNAV 1	010	CA	-	-	324°	333.3°T	-		A680+	
	020	DF	REDBO	-	-	-	-			K250-
	030	TF	NEPEK	-	320°	329.6°T	22.0			
NUNTO 3P RNAV 1	010	CA	-	-	324°	333.3°T	-	L	A680+	
	020	CF	HK928	-	232°	241.3°T	-			K250-
	030	TF	NUNTO	-	232°	241.2°T	26.4			
RENKU 3P RNAV 1	010	CA	-	-	324°	333.3°T	-	L	A680+	
	020	CF	HK928	-	232°	241.3°T	-			K250-
	030	TF	HK929	-	182°	190.9°T	13.9	L		
	040	TF	RENKU	-	129°	138.6°T	14.7			
TEVRU 3P RNAV 1	010	CA	-	-	324°	333.3°T	-		A680+	
	020	DF	REDBO	-	-	-	-			K250-
	030	TF	TEVRU	-	348°	357.2°T	23.7			
VALOX 3P RNAV 1	010	CA	-	-	324°	333.3°T	-	L	A680+	
	020	CF	HK928	-	232°	241.3°T	-			K250-
	030	TF	HK929	-	182°	190.9°T	13.9			
	040	TF	VALOX	-	204°	213.1°T	24.2			

WPT COORD

SEE PAGE EFHK AD 2.15 - 1