



CHG: ADDN D300. DEL D200

RNAV STAR RWY 06

ADSEB 2A ARLOM 2A ERKOM 2A SIGGE 1A

DME/DME OPS:	NOT SUPPORTED	RCF:	SELECT TRANSPONDER CODE 7600
ROUTES:	RNAV PROC CODING ON THE VERSO OF THE CHART ATC WILL GIVE DESCENT CLEARANCES		RNAV STAR HAS BEEN GIVEN AND ACKNOWLEDGED: FOLLOW THE STAR TO THE RESPECTIVE RWY AND EXECUTE IAP AND LAND
WPT CONSTRAINTS:	ALT / FL / SPEED CONSTRAINTS MUST ALWAYS BE FOLLOWED AS PUBLISHED UNLESS EXPLICITLY CANCELLED BY ATC	AREA MNM ALT:	SEE AMA INDEX, AIP ENR 6.1 - 3
CD OPS:	BY ATC CLR IF TFC PERMITS. PLAN CD PATH ACCORDING TO STAR		

EFLP RNAV STAR RWY 06										
RTE NAV SPEC	SEQ NR	P/T	WPT		MAG	GEO TR	DIST NM	Constraints		
			ID	Flyover				LVL	LVL	Speed
ADSEB 2A RNAV 1	010	IF	ADSEB	-	-	-	-	F100+		
	020	TF	SOVOT	-	259°	270.0°T	10.8	A2100+		K240-
	030	TF	NAPSO	-	326°	336.5°T	5.0	A2100+		
ARLOM 2A RNAV 1	010	IF	ARLOM	-	-	-	-	F100+		
	020	TF	SOVOT	-	025°	035.9°T	8.3	A2100+		K240-
	030	TF	NAPSO	-	326°	336.5°T	5.0	A2100+		
ERKOM 2A RNAV 1	010	IF	ERKOM	-	-	-	-	F100+		
	020	TF	XALUK	-	162°	172.5°T	10.4	A2100+		K240-
	030	TF	NAPSO	-	146°	156.4°T	5.0	A2100+		
SIGGE 1A RNAV 1	010	IF	SIGGE	-	-	-	-	F100+		
	020	TF	VOZZE	-	184°	194.8°T	12.6			
	030	TF	WEZWA	-	236°	247.0°T	7.5			
	040	TF	XALUK	-	236°	246.6°T	10.0	A2100+		K240-
	050	TF	NAPSO	-	146°	156.4°T	5.0	A2100+		

RNAV Holdings								
ID	INBD TR	INBD MAG	Turn Direction	Speed	MNM HLDG LVL	TIME	DIST NM	
NAPSO	156.4°T	146°	Left	K230-	A2100	1 MIN	-	

WPT COORD
SEE PAGE EFLP AD 2.15 - 1