



RNAV STAR RWY 36
BEDSO 3L BEXUL 3L NEPIX 3L

DME/DME OPS: NOT SUPPORTED

ROUTES: RNAV PROC CODING ON THE VERSO OF THE CHART
ATC WILL GIVE DESCENT CLEARANCES

WPT CONSTRAINTS: ALT / FL / SPEED CONSTRAINTS MUST ALWAYS BE FOLLOWED AS
PUBLISHED UNLESS EXPLICITLY CANCELLED BY ATC

CD OPS: BY ATC CLR IF TFC PERMITS. PLAN CD PATH ACCORDING TO STAR

RCF: SELECT TRANSPONDER CODE 7600

RNAV STAR HAS BEEN GIVEN AND ACKNOWLEDGED:
FOLLOW THE STAR TO THE RESPECTIVE RWY
AND EXECUTE IAP AND LAND

AREA MNM ALT: SEE AMA INDEX, AIP ENR 6.1 - 3

CHG: MAG VAR

EFKE RNAV STAR RWY 36										
RTE NAV SPEC	SEQ NR	P/T	WPT		MAG	GEO TR	DIST NM	Turn Direction	Constraints	
			ID	Flyover					LVL	Speed
BEDSO 3L RNAV 1	010	IF	BEDSO	-	-	-	-		F100+	
	020	TF	DIRGU	-	312°	323.5°T	17.4		A2500+	

BEXUL 3L RNAV 1	010	IF	BEXUL	-	-	-	-		F100+	K240-
	020	TF	DIRGU	-	074°	084.9°T	9.3		A2500+	

NEPIX 3L RNAV 1	010	IF	NEPIX	-	-	-	-		F100+	
	020	TF	GURDO	-	192°	202.6°T	22.0			
	030	TF	VABSA	-	177°	187.7°T	10.7	R	A2500+	K240-
	040	TF	DIRGU	-	267°	277.6°T	5.0		A2500+	

RNAV Holdings									
ID	INBD TR	INBD MAG	Turn Direction	Speed	MNM HLDG LVL	TIME	DIST NM		
DIRGU	007.5°T	357°	Left	K230-	A2500	1 MIN	-		

WPT COORD
SEE PAGE EFKE AD 2.15 - 1