

AIP SUPPLEMENT - SUOMI / FINLAND

Aeronautical Information Service

www.ais.fi

Fintraffic ANS, PL 157, FI-01531 VANTAA, ais@fintraffic.fi

AIP SUP NR
078 / 2025

AIRAC

WEF
15 MAY 2025

COR - ROVANIEMEN LENTOASEMA (EFRO), TILAPÄINEN KIIOTIE 03/21C AJALLA 15.5. - 10.7.2025

Korvaa AIP supplementin 072/2025. Korjattu RWY 21C TDZ ELEV -arvo.

REF AIP SUP 052/2025

1. Kiiotie 03/21C on perustettu ajalle **15.5. - 10.7.2025** lentoasemalla tehtävien rakennustöiden vuoksi alla esitettyjen tietojen mukaisesti. Ks. myös sivulla 3 oleva kuva.

Käytettävä kiiotie (03/21C tai 03/21) tullaan kertomaan NOTAMilla.

COR - ROVANIEMI AERODROME (EFRO), TEM- PORARY RUNWAY 03/21C FROM 15 MAY to 10 JUL 2025

Replaces AIP SUP 072/2025. RWY 21C TDZ ELEV value has been corrected.

REF AIP SUP 052/2025

1. Runway 03/21C is established due to construction work **from 15 MAY to 10 JUL 2025** according to the data given below. See also the sketch on page 3.

The runway in use (03/21C or 03/21) will be published by NOTAM.

AIP, EFRO AD 2.12 KIIOTIEN OMINAISTIEDOT RUNWAY PHYSICAL CHARACTERISTICS

RWY ID	TRUE BRG	DMN RWY M	PCN and SFC of RWY and SWY	THR COORD RWY end COORD THR GUND	THR ELEV TDZ ELEV
1	2	3	4	5	6
03	037.17	2702 x 60	PCN 105/F/A/W/T ASPH SWY: NIL	663314.76N 0254835.95E 663424.25N 0255048.36E GUND: 65.8 FT	THR: 633.9 FT TDZ: 630.7 FT
21C	217.21	2702 x 60	PCN 105/F/A/W/T ASPH SWY: NIL	663424.25N 0255048.36E 663314.76N 0254835.95E GUND: 65.8 FT	THR: 618.3 FT TDZ: 640.1 FT

RWY ID	RWY / SWY Slope	SWY DMN M	CWY DMN M	STRIP DMN M	RESA DMN M	RAG	OFZ
1	7	8	9	10	11	12	13
03	REF AIP SUP 054/2025	NIL	NIL	2822 x 300	TEMPO 240 x 120	Arresting cable 758 M FM THR NET	NIL
21C	REF AIP SUP 054/2025	NIL	NIL	2822 x 300	240 x 120	NET	Yes

RWY ID	RMK
1	14
03	NIL
21	Approved CAT II APCH

AIP, EFRO AD 2.13 LASKENNALLISET PITUUDET DECLARED DISTANCES

RWY ID	TORA M	TODA M	ASDA M	LDA M	RMK
1	2	3	4	5	6
03	2702	2702	2702	2702	NIL
21C	2702	2702	2702	2702	NIL

LYHENNETYT LASKENNALLISET PITUUDET
REDUCED DECLARED DISTANCES

RWY ID RWY INT	TORA M	TODA M	ASDA M	LDA M	RMK
1	2	3	4	5	6
03 (B)	1831	1831	1831	NIL	NIL
03 (C)	982	982	982	NIL	NIL
03 (H)	1502	1502	1502	NIL	NIL
03 (J)	931	931	931	NIL	NIL
03 (L)	2182	2182	2182	NIL	NIL
03 (N)	1502	1502	1502	NIL	NIL
21 (C)	1742	1742	1742	NIL	NIL
21 (D)	2523	2523	2523	NIL	NIL
21 (G)	2511	2511	2511	NIL	NIL
21 (H)	1222	1222	1222	NIL	NIL
21 (J)	1800	1800	1800	NIL	NIL
21 (N)	1222	1222	1222	NIL	NIL

AIP, EFRO AD 2.14 LÄHESTYMIS- JA KIITOTIEVALOT
APPROACH AND RUNWAY LIGHTING

RWY ID	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RCL LGT LEN spacing colour INTST	REDL LEN spacing colour INTST	RENL colour WBAR	SWY LGT LEN colour	RMK
1	2	3	4	5	6	7	8	9	10
03	CAT I 720 M W LIH R LIL	G LIH FLG W LIH	PAPI Left side/3° (56 FT)	NIL	NIL	W LIH YCZ 600 M	R LIH	NIL	RCL LGT: LED
21C	NIL	G LIH	PAPI Left side/3° (55 FT)	NIL	NIL	W LIH YCZ 600 M	R LIH	NIL	TDZ LGT, RCL LGT: LED

2. Merkinnät

THR RWY 21C on merkitty tilapäisen siirretyyn kynnyksen merkinnöillä (kiitotien yli maalattu valkoinen viiva ja nuolet).

2. Markings

THR RWY 21C is marked by temporary DTDR markings (a white stripe across the runway and arrows).

ROVANIEMI AD (EFRO) - RWY 03/21C
15 MAY - 10 JUL 2025

