

AIP SUPPLEMENT - SUOMI / FINLAND Aeronautical Information Service www.ais.fi		AIP SUP NR 088 / 2025 AIRAC WEF 10 JUL 2025
Fintraffic ANS, PL 157, FI-01531 VANTAA, ais@fintraffic.fi		

ROVANIEMEN LENTOASEMA (EFRO), TILAPÄINEN KIIOTIE 03C/21 AJALLA 10.7. - 4.9.2025

REF AIP SUP 087/2025

1. Kiiotie 03C/21 on perustettu ajalle **10.7. - 4.9.2025** lentoasemalla tehtävien rakennustöiden vuoksi alla esitettyjen tietojen mukaisesti. Ks. myös sivulla 3 oleva kuva.

Käytettävä kiiotie (03C/21 tai 03/21) tullaan kertomaan NOTAMilla.

ROVANIEMI AERODROME (EFRO), TEMPORARY RUNWAY 03C/21 FROM 10 JUL to 04 SEP 2025

REF AIP SUP 087/2025

1. Runway 03C/21 is established due to construction work **from 10 JUL to 04 SEP 2025** according to the data given below. See also the sketch on page 3.

The runway in use (03C/21 or 03/21) will be published by NOTAM.

AIP, EFRO AD 2.12 KIIOTIEN OMINAISTIEDOT RUNWAY PHYSICAL CHARACTERISTICS

RWY ID	TRUE BRG	DMN RWY M	PCN and SFC of RWY and SWY	THR COORD RWY end COORD THR GUND	THR ELEV TDZ ELEV
1	2	3	4	5	6
03C	037.17	2486 x 60	PCN 105/F/A/W/T ASPH SWY: NIL	663328.03N 0254901.21E 663431.96N 0255103.07E GUND: 65.8 FT	THR: 621.6 FT TDZ: 642.7 FT
21	217.21	2486 x 60	PCN 105/F/A/W/T ASPH SWY: NIL	663431.96N 0255103.07E 663328.03N 0254901.21E GUND: 65.8 FT	THR: 609.9 FT TDZ: 634.9 FT

RWY ID	RWY / SWY Slope	SWY DMN M	CWY DMN M	STRIP DMN M	RESA DMN M	RAG	OFZ
1	7	8	9	10	11	12	13
03C	REF AIP SUP 089/2025	NIL	NIL	2606 x 300	240 x 120	Arresting cable 243 M FM THR	NIL
21	REF AIP SUP 089/2025	NIL	NIL	2606 x 300	TEMPO 240 x 120	NIL	Yes

RWY ID	RMK
1	14
03	NIL
21	Approved CAT II APCH

AIP, EFRO AD 2.13 LASKENNALLISET PITUUDET DECLARED DISTANCES

RWY ID	TORA M	TODA M	ASDA M	LDA M	RMK
1	2	3	4	5	6
03C	2486	2486	2486	2486	NIL
21	2486	2486	2486	2486	NIL

LYHENNETYT LASKENNALLISET PITUUDET
REDUCED DECLARED DISTANCES

<i>RWY ID</i> <i>RWY INT</i>	<i>TORA</i> <i>M</i>	<i>TODA</i> <i>M</i>	<i>ASDA</i> <i>M</i>	<i>LDA</i> <i>M</i>	<i>RMK</i>
1	2	3	4	5	6
03C (B)	2131	2131	2131	NIL	NIL
03C (C)	1282	1282	1282	NIL	NIL
03C (H)	1802	1802	1802	NIL	NIL
03C (J)	1231	1231	1231	NIL	NIL
03C (L)	2482	2482	2482	NIL	NIL
03C (N)	1802	1802	1802	NIL	NIL
21 (C)	1226	1226	1226	NIL	NIL
21 (D)	2007	2007	2007	NIL	NIL
21 (G)	1995	1995	1995	NIL	NIL
21 (H)	1222	1222	1222	NIL	NIL
21 (J)	1284	1284	1284	NIL	NIL
21 (N)	1222	1222	1222	NIL	NIL

AIP, EFRO AD 2.14 LÄHESTYMIS- JA KIITOTIEVALOT
APPROACH AND RUNWAY LIGHTING

<i>RWY ID</i>	<i>APCH LGT</i> <i>type</i> <i>LEN</i> <i>INTST</i>	<i>THR LGT</i> <i>colour</i> <i>WBAR</i>	<i>VASIS</i> <i>(MEHT)</i> <i>PAPI</i>	<i>TDZ LGT</i> <i>LEN</i>	<i>RCL LGT LEN</i> <i>spacing</i> <i>colour</i> <i>INTST</i>	<i>REDL</i> <i>LEN</i> <i>spacing</i> <i>colour</i> <i>INTST</i>	<i>RENL</i> <i>colour</i> <i>WBAR</i>	<i>SWY LGT</i> <i>LEN</i> <i>colour</i>	<i>RMK</i>
1	2	3	4	5	6	7	8	9	10
03C	NIL	G LIH FLG W LIH	PAPI Left side/3° (55 FT)	NIL	NIL	W LIH YCZ 600 M	R LIH	NIL	RCL LGT: LED
21	CAT II / III 900 M W LIH W LIL	G LIH	PAPI Left side/3° (56 FT)	NIL	NIL	W LIH YCZ 600 M	R LIH	NIL	TDZ LGT, RCL LGT: LED

2. Merkinnät

THR RWY 03C on merkitty tilapäisen siirretyn kynnyksen merkinnöillä (kiitotien yli maalattu valkoinen viiva ja nuolet).

2. Markings

THR RWY 03C is marked by temporary DTHR markings (a white stripe across the runway and arrows).

ROVANIEMI AD (EFRO) - RWY 03C/21
10 JUL - 04 SEP 2025

