AIP SUPPLEMENT - SUOMI / FINLAND

Aeronautical Information Service

www.ais.fi

Fintraffic ANS, PL 157, FI-01531 VANTAA, ais@fintraffic.fi

AIP SUP NR

148 / 2026

WEF
03 NOV 2026

Aihe	**HELSINKI FIR, TILAPÄINEN VAARA-ALUE EFD575 MYRSKY 26**
Subject	**HELSINKI FIR, TEMPORARY DANGER AREA EFD575 MYRSKY 26**
Voimassaolo **Validity**	**03 NOV 2026 0500 UTC - 15 NOV 2026 1800 UTC**
Aktivointi **Activation**	WILL BE ACTIVATED BY NOTAM: 03 NOV 2026 0500 UTC - 15 NOV 2026 1800 UTC
Liikenne- ja viestintäviraston päätös **Decision of Finnish Transport and Communications Agency**	TRAFICOM/585620/05.00.12.00/2026, 05.10.2026
AIP REF	ENR 5.1
Julkaisupäivä **Publication date**	02 NOV 2026

Alueet / Areas

Designation Lateral limits	Vertical limits	Activity type	Remarks
EFD575A MYRSKY 26 595100N 0221547E - 595100N 0221948E - 593629N 0223803E - 593047N 0222347E - 592835N 0213145E - 592859N 0212227E - 593047N 0210029E - 593817N 0210947E - 595100N 0221547E	FL 95 SFC	MILOPS	AMC manageable area
EFD575B MYRSKY 26 593629N 0223803E - 592514N 0224448E - 590000N 0205957E - 592156N 0202044E - 593047N 0210029E - 592859N 0212227E - 592835N 0213145E - 593047N 0222347E - 593629N 0223803E	FL 95 SFC	MILOPS	AMC manageable area

Huomioitavaa	NOTAM aktivointia 7 vrk ennen toiminnan aloittamista (ICAO vaatimus) ei voida taata. NOTAM aktivointi tehdään viimeistään toiminnan aloittamista edeltävänä päivänä. Toiminnan vastuuhenkilön puhelinnumero ilmoitetaan alueen aktivoivassa NOTAM-tiedotteessa. Tämä AIP SUP julkaisu sisältää xml-siirtotiedoston AIXM 5.1 muodossa julkaistujen alueiden sivu- ja korkeusrajoista. Lisätietoja AIP Supplementtien AIXM-liitetiedostoista löytyy AIC-tiedotteesta (https://www.ais.fi/eaip/currently_effective/index.html).
Remarks	ICAO 7-days advance notice (NOTAM) cannot be guaranteed. Activating NOTAM will be published no later than the previous day before the day of operations. The phone number for the person in charge of the operation will be announced in activating NOTAM. This electronic AIP SUP publication contains xml-file attachment in AIXM 5.1 format. More information related to AIP Supplement AIXM attachments can be found in AIC (https://www.ais.fi/eaip/currently_effective/index.html).

TEMPORARY DANGER AREA EFD575 MYRSKY 26

