



RNAV STAR RWY 04

LUSAG 3A NEKUX 3A SOTIT 3A

DME/DME OPS: NOT SUPPORTED

AREA MNM ALT: SEE AMA INDEX, AIP ENR 6.1 - 3

ROUTES: RNAV PROC CODING ON THE VERSO OF THE CHART
ATC WILL GIVE DESCENT CLEARANCES

WPT CONSTRAINTS: ALT / FL / SPEED CONSTRAINTS MUST ALWAYS BE FOLLOWED AS
PUBLISHED UNLESS EXPLICITLY CANCELLED BY ATC

CD OPS: BY ATC CLR IF TFC PERMITS. PLAN CD PATH ACCORDING TO STAR

RCF: SELECT TRANSPONDER CODE 7600

RNAV STAR HAS BEEN GIVEN AND ACKNOWLEDGED: FOLLOW THE
STAR TO THE RESPECTIVE RWY AND EXECUTE IAP AND LAND

CHG: radio data. COR D300 upper limit

EFIV RNAV STAR RWY 04										
RTE NAV SPEC	SEQ NR	P/T	WPT		MAG	GEO TR	DIST NM	Constraints		
			ID	Flyover				LVL	LVL	Speed
LUSAG 3A RNAV 1	010	IF	LUSAG	-	-	-	-	F100+		
	020	TF	KEPEX	-	047°	061.9°T	16.1	A3500+		

NEKUX 3A RNAV 1	010	IF	NEKUX	-	-	-	-	F100+		
	020	TF	LANRU	-	181°	195.6°T	10.6			
	030	TF	NUKMO	-	212°	227.2°T	12.8			
	040	TF	RUKEM	-	212°	226.8°T	11.5	A3500+		K240-
	050	TF	KEPEX	-	121°	136.5°T	5.0	A3500+		

SOTIT 3A RNAV 1	010	IF	SOTIT	-	-	-	-	F100+		
	020	TF	VENAB	-	340°	355.5°T	10.4	A3500+		K240-
	030	TF	KEPEX	-	302°	316.8°T	5.0	A3500+		

RNAV Holdings								
ID	INBD TR	INBD MAG	Turn Direction	Speed	MNM HLDG LVL	TIME	DIST NM	
KEPEX	047.0°T	032°	Left	K230-	A3500	1 MIN	-	

WPT COORD
SEE PAGE EFIV AD 2.15 - 1